



European Committee for Homeopathy



THE VOICE OF HOMEOPATHIC PATIENTS IN EUROPE

L'Europa più sana grazie all'omeopatia

*Dichiarazione del Comitato Europeo per l'Omeopatia (ECH)
e della Federazione Europea delle Associazioni di Pazienti Omeopatici (EFHPA)*

L'omeopatia fornisce delle soluzioni ai principali problemi sanitari dei Paesi d'Europa

- L'omeopatia aiuta a ridurre la necessità di antibiotici nell'assistenza sanitaria umana e veterinaria, riducendo così il problema della resistenza antimicrobica.^{1,2}
- L'omeopatia, se integrata nell'assistenza sanitaria, aumenta la qualità della vita e riduce la gravità dei reclami nei pazienti con malattia cronica.^{3,4,5,6,7,8}
- L'omeopatia, se integrata nell'assistenza sanitaria, può ridurre l'uso di farmaci da prescrizione convenzionali a lungo termine.⁹

L'omeopatia soddisfa meglio il paziente ed è sicura ed economica

- Il trattamento omeopatico, se integrato nell'assistenza sanitaria, permette di ridurre i costi terapeutici.^{10,11,12}
- Il trattamento omeopatico è sicuro, con alta soddisfazione del paziente.^{13,14,15,16}
- I pazienti che seguono un trattamento omeopatico hanno risultati superiori rispetto ai pazienti in trattamento convenzionale, con costi simili.¹⁷
- La qualità, la sicurezza e la corretta etichettatura dei prodotti omeopatici è garantita dalla Direttiva 2001/83 CE.

I consumatori Europei chiedono che l'Omeopatia sia integrata nella loro assistenza sanitaria

- L'omeopatia è considerata la medicina complementare più utilizzata in Europa.¹⁸
- Tre cittadini europei su quattro stanno già fatto uso dell'omeopatia e di essi il 29% la utilizza per le proprie cure quotidiane.¹⁹

Prove scientifiche di altissimo livello confermano l'efficacia clinica della medicina omeopatica

- Gli effetti clinici dei medicinali omeopatici sono stati confermati da numerose revisioni sistematiche e da metanalisi.^{20,21,22,23,24,25,26}

Esistono prove convincenti dell'efficacia biologica della medicina omeopatica

- Sono state pubblicate prove scientifiche inconfutabili, osservate in laboratorio, degli effetti di sostanze preparate seguendo il metodo omeopatico.^{27,28}

1. Grimaldi-Bensouda L, Bégaud B, Rossignol M, et al. Management of upper respiratory tract infections by different medical practices, including homeopathy, and consumption of antibiotics in primary care: the EPI3 cohort study in France 2007-2008. *PLoS One*. 2014 Mar 19;9(3):e89990.
2. Camerlink I, Ellinger L, Bakker EJ, Lantinga EA. Homeopathy as replacement to antibiotics in the case of Escherichia coli diarrhoea in neonatal piglets. *Homeopathy*. 2010 Jan;99(1):57-62.
3. Witt CM, Lüdtke R, Baur R, Willich SN. Homeopathic medical practice: long-term results of a cohort study with 3981 patients. *BMC Public Health* 2005;5:115.
4. Spence DS, Thompson EA, Barron SJ. Homeopathic treatment for chronic disease: a 6-year, university-hospital outpatient observational study. *J Altern Complement Med* 2005;11:793-798.
5. Mathie RT, Robinson TW. Outcomes from homeopathic prescribing in medical practice: a prospective, research-targeted, pilot study. *Homeopathy* 2006;95:199-205.
6. Thompson EA, Mathie RT, Baitson ES, et al. Towards standard setting for patient-reported outcomes in the NHS homeopathic hospitals. *Homeopathy* 2008;97:114-121.
7. Witt CM, Lüdtke R, Mengler N, Willich SN. How healthy are chronically ill patients after eight years of homeopathic treatment?—Results from a long term observational study *BMC Public Health* 2008;8:413.
8. Rossi E, Endrizzi C, Panizzo MA, Bianchi A, Da Frè M. Homeopathy in the public health system: a seven-year observational study at Lucca Hospital (Italy). *Homeopathy* 2009;98:142-148.
9. Grimaldi-Bensouda L, Abenhaim L, Massol J, et al. EPI3-LA-SER group. Homeopathic medical practice for anxiety and depression in primary care: the EPI3 cohort study. *BMC Complement Altern Med*. 2016 May 4;16:125.
10. Kooreman P, Baars EW. Patients whose GP knows complementary medicine tend to have lower costs and live longer. *Eur J Health Econ*. 2012 Dec;13(6):769-76.
11. Baars EW, Kooreman P. A 6-year comparative economic evaluation of healthcare costs and mortality rates of Dutch patients from conventional and CAM GPs. *BMJ Open*. 2014 Aug 27;4(8):e005332.
12. Colas A, Danno K, Tabar C, Ehreth J, Duru G. Economic impact of homeopathic practice in general medicine in France. *Health Econ Rev*. 2015;5(1):55.
13. Van Wassenhoven M, Galen Y. An observational study of patients receiving homeopathic treatment. *Homeopathy* 2004 Jan;93(1):3-11.
14. Marian F, Joost K, Saini KD, von Ammon K, Thurneysen A, Busato A. Patient satisfaction and side effects in primary care: An observational study comparing homeopathy and conventional medicine. *BMC Complement Altern Med*. 2008 Sep 18;8:52.
15. Witt C, Keil T, Selim D, et al. Outcome and costs of homoeopathic and conventional treatment strategies: a comparative cohort study in patients with chronic disorders. *Complement Ther Med*. 2005;13(2):79-86.
16. Marian F, Joost K, Saini KD, von Ammon K, Thurneysen A, Busato A. Patient satisfaction and side effects in primary care: An observational study comparing homeopathy and conventional medicine. *BMC Complement Altern Med*. 2008 Sep 18;8:52.
17. Bornhöft G, Wolf U, von Ammon K, Righetti M, Maxion-Bergemann S, Baumgartner S, Thurneysen AE, Matthiessen PF. Effectiveness, safety and cost-effectiveness of homeopathy in general practice - summarized health technology assessment. *Forsch Komplementmed*. 2006;13 Suppl 2:19-29. *Epub* 2006 Jun 26. *Review*.

18. Eardley S, Bishop FL, Prescott P, Cardini F, Brinkhaus B, Santos K T Rey, Vas J, von Ammon K, Hegyi G, Dragan S, Uehleke B, Fønnebø V, Lewith G. CAM use in Europe. The patients' perspective. Part I: A systematic literature review of CAM prevalence in the EU. 2012. Online retrieved 19-11-2019. https://cam-europe.eu/wp-content/uploads/2018/09/CAMBrella-WP4-part_1final.pdf.
19. Report of the European Commission, 1997. Online retrieved 15-12-2019 via <https://www.hri-research.org/resources/essentialevidence/use-of-homeopathy-across-the-world/>.
20. Linde K, Clausius N, Ramirez G, Melchart D, Eitel F, Hedges LV, Jonas WB. Are the clinical effects of homeopathy placebo effects? A meta-analysis of placebo-controlled trials. *Lancet.* 1997 Sep 20;350(9081):834-4.
21. Cucherat M, Haugh MC, Gooch M, Boissel JP. Evidence of clinical efficacy of homeopathy. A meta-analysis of clinical trials. HMRAG. Homeopathic Medicines Research Advisory Group. *Eur J Clin Pharmacol.* 2000 Apr;56(1):27-33.
22. Hahn RG. Homeopathy: meta-analyses of pooled clinical data. *Forsch Komplementmed.* 2013;20(5):376-81.
23. Mathie RT, Van Wassenhoven M, Jacobs J et al. Model validity and risk of bias in randomised placebo-controlled trials of individualised homeopathic treatment. *Complement Ther Med.* 2016 Apr;25:120-5.
24. Mathie RT, Lloyd, SM, Legg, LA, Clausen J, Moss S, Davidson JR, Ford : Randomised placebo-controlled trials of individualised homeopathic treatment: systematic review and meta-analysis. *Syst Rev* 2014 Dec 6;3:142.
25. Mathie RT, Clausen J. Veterinary homeopathy: systematic review of medical conditions studied by randomised placebo-controlled trials. *Vet Rec.* 2014 Oct 18;175(15):373-81.
26. Mathie RT, Clausen J. Veterinary homeopathy: meta-analysis of randomised placebo-controlled trials. *Homeopathy.* 2015 Jan;104(1):3-8.
27. Tournier A, Klein SD, Würtenberger S, Wolf U, Baumgartner S. Physicochemical Investigations of Homeopathic Preparations: A Systematic Review and Bibliometric Analysis-Part 2. *J Altern Complement Med.* 2019 Jul 10.
28. Witt CM, Bluth M, Albrecht H, Weisshuhn TE, Baumgartner S, Willich SN. The in vitro evidence for an effect of high homeopathic potencies--a systematic review of the literature. *Complement. Ther Med.* 2007 Jun;15(2):128-38.